



Technical Datasheet

HYGO STAR | Item.-no.: 27059

Nitrile gloves SAFE LIGHT, powderfree

product specifications

- disposable glove, 24 cm, white
- nitrile, strong quality, allergy-free, powderfree, non sterile
- textured fingertips for excellent grip
- resistant, oil- and grease resistant
- greater protection than latex and vinyl
- very elastic
- comfortable, with rolled edges

area of use

Protection against chemicals and solvents, suitable for food and medical purposes

product

| | |
|-------------------|---------|
| size | M |
| material | nitrile |
| colour | white |
| piece length (cm) | 24 |

additional specifications for gloves

| | | |
|--------------------------------|---------------------|-------|
| surface | fingertips textured | |
| thickness in mm ($\pm 10\%$) | finger tips | 0,1 |
| | palms | 0,07 |
| | shaft | 0,055 |
| tensile strenght unaged in N. | 6 | |
| elongation unaged in % | 500 | |

HYGO STAR | Item.-no.: 27059

Nitrile gloves SAFE LIGHT, powderfree



quality features

| | | |
|-------------------|------------|---------------|
| CE feature | yes | |
| food safe | yes | |
| product standards | CAT 3 | EN 374-2 |
| | AQL 1,5 | EN 374-3 AKL |
| | food safe | ASTM D6978-05 |
| | EN 420 | CE 0321 |
| | EN 455 1-4 | |

packing

| | |
|--|-----------------------|
| quantity | piece(s) |
| quantity inner packing | 100 |
| quantity outer packing | 1.000 |
| quantity per CCG1 | 48.000 |
| quantity per pallet | 108.000 |
| LxWxH outer packing in cm | 28.50 x 24.50 x 22.00 |
| volume in m ³ outer packing | 0,015362 |
| gross weight outer packing in gr | 4.759 |
| type of inner packing | dispenser box |

labeling

| | |
|------------------------|---------------|
| costums tariff no. | 4015190000 |
| country of origin | Malaysia |
| EAN code inner packing | 4015544270594 |
| EAN code outer packing | 4015544970593 |

shelf life 5 years

If you need further details, please contact the support!

HYGO STAR | Item.-no.: 27059
Nitrile gloves SAFE LIGHT, powderfree



The technical informations are average production results and may vary from case to case.
Subject to technical modifications; no responsibility is accepted for the accuracy of this information.
Updated 28.09.2017.

Page 3/3